


⑨  **Europäisches Patentamt**
European Patent Office
Office européen des brevets

⑪ Publication number:

0 402 049
A2

⑫ **EUROPEAN PATENT APPLICATION**

⑬ Application number: 90305944.2

⑭ Date of filing: 31.05.90

⑮ Int. Cl. 5: **C12P 19/18, C12P 19/16,**
C12P 19/14, C12P 19/60,
C12P 19/44, C07H 17/07,
A23L 1/30, A61K 7/00,
A61K 31/71

⑯ Priority: 03.06.89 JP 141902/89

⑰ Date of publication of application:
 12.12.90 Bulletin 90/50

⑱ Designated Contracting States:
 AT BE CH DE DK ES FR GB GR IT LI LU NL SE

⑲ Applicant: **KABUSHIKI KAISHA HAYASHIBARA**
SEIBUTSU KAGAKU KENKYUJO
 2-3, 1-chome, Shimolshii.
 Okayama-shi Okayama(JP)


⑳ Inventor: **Hijiyu, Hiromi**
90-2 Koyama
Okayama-shi, Okayama(JP)
 Inventor: **Miyake, Toshio**
7-10-40S, 1-chome Okuda
Okayama-shi, Okayama(JP)

㉑ Representative: **Pendlebury, Anthony et al**
PAGE, WHITE & FARRER 54 Doughty Street
London WC1N 2LS(GB)

㉒ **Alpha-Glycosyl hesperidin, and its preparation and uses.**

㉓ α -Glycosyl hesperidin, a novel hesperidin derivative wherein equimolar or more D-glucose residues are bound to hesperidin via the d-bond, is formed by a saccharide-transferring enzyme in a liquid containing hesperidin and α -glucosyl saccharide. The α -glycosyl hesperidin is easily recovered from the reaction mixture with a synthetic macroporous resin. α -Glycosyl hesperidin is superior in water-solubility, substantially tasteless and odorless, free of toxicity, and readily hydrolyzable *in vivo* into hesperidin and D-glucose to exhibit the physiological activity inherent to hesperidin. Thus, α -glycosyl hesperidin is favorably usable in vitamin P-enriching agents, foods, beverages, tobaccos, foods, pet foods, pharmaceuticals for susceptible diseases, cosmetics and plastics.

FIG. 1

Wave number (cm⁻¹)

Xerox Copy Centre

EP 0 402 049 A2